PUBLISHER CORRECTION

Open Access

Correction to: Patterns of pain location in music students: a cluster analysis



Cinzia Cruder^{1,2,3*}, Marco Barbero¹, Emiliano Soldini⁴ and Nigel Gleeson²

Correction to: BMC Musculoskelet Disord 22, 184 (2021) https://doi.org/10.1186/s12891-021-04046-6

Following the publication of the original article [1] an error was introduced into Fig. 1 during production, such that the numbers of participants reporting MSK pain in each anatomical area were not visible. The article has now been updated and the correct version of the figure is included in the online PDF and HTML.

The publisher apologises for this error.

Author details

¹Department of Business Economics, Rehabilitation Research Laboratory 2rLab, Health and Social Care, University of Applied Sciences and Arts of Southern Switzerland, Manno/Landquart, Switzerland. ²Centre for Health, Activity and Rehabilitation Research, Queen Margaret University, Edinburgh, UK. ³Department of Research and Development, Conservatory of Southern Switzerland, Lugano, Switzerland. ⁴Department of Business, Research Methodology Competence Centre, Health and Social Care, University of Applied Sciences and Arts of Southern Switzerland (SUPSI), Manno, Switzerland.

Published online: 10 March 2021

Reference

 Cruder C, Barbero M, Soldini E, et al. Patterns of pain location in music students: a cluster analysis. BMC Musculoskelet Disord. 2021;22:184. https://doi.org/10.1186/s12891-021-04046-6.

The original article can be found online at https://doi.org/10.1186/s12891-021-04046-6.

Full list of author information is available at the end of the article

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions





© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*} Correspondence: cinzia.cruder@supsi.ch

¹Department of Business Economics, Rehabilitation Research Laboratory 2rLab, Health and Social Care, University of Applied Sciences and Arts of Southern Switzerland, Manno/Landquart, Switzerland

²Centre for Health, Activity and Rehabilitation Research, Queen Margaret University, Edinburgh, UK




Fig. 1. Distribution of MSK pain location among participants. The anatomical areas and the layout of the original Nordic Questionnaire [24] with the affected areas, as well as the graph with the number of participants who self-reported MSK pain in specific areas of the body, have been reported. Dark red represents the most frequently reported area throughout all participants